## PRODUCT ID: ARTICAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

SECTION 1:	IDENTIFICATION

Product Name:	Articaine Hydrochloride 4% and Epinephrine 100,000 Injection Articaine Hydrochloride 4% and Epinephrine 200,000 Injection
Brand Name:	SEPTANEST SP® (Articaine Hydrochloride 4% and Epinephrine 1:100,000; Injection)
	<b>SEPTANEST N®</b> (Articaine Hydrochloride 4% and Epinephrine 1:200,000; Injection)
	SEPTOCAINE ® (Articaine Hydrochloride 4% and Epinephrine 1:100,000 and 1:200,000; Injection)
	<b>POSICAINE</b> <sup>®</sup> (Articaine Hydrochloride 4% and Epinephrine 1:100,000 and 1:200,000; Injection)
Manufacturer / Supplier:	Septodont 25 Wolseley Court Cambridge, Ontario, Canada N1R 6X3 519-623-4800 <a href="http://www.septodont.com/">http://www.septodont.com/</a>
Prepared By:	Septodont in conjunction with a third party consultant
Emergency Phone Number:	(519) 623-4800 (Monday-Friday 08:30 to 16:30 EST)
Product Use:	Local anesthetic solution for use in peripheral nerve blocks
Date of Preparation:	July 11, 2016

SECTION 2:	HAZARDS IDENTIFICATION	
------------	------------------------	--

Classification:	This product is exempt from WHMIS 2015 as a drug product. Information provided is for worker education and training purposes.
	Equivalent Class: Specific Target Organ Toxicity – Single Exposure: Narcotic effects, Category 3
Equivalent GHS Label Symbol:	
Hazard Statements:	Warning
	H336 - May cause drowsiness or dizziness
	May cause skin and/or eye irritation
	Causes central nervous system effects such as drowsiness, confusion, excitability and nervousness. Acts as a depressant on the cardiovascular system.
	Avoid use in individuals with hypersensitivities to amide-type anesthetics. Use with caution in individuals with diabetes and/or severe hypertension.

#### PRODUCT ID: ARTICAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

	CONSULT PRODUCT INSERT FOR CLINICAL AND PHARMACOPIAL INFORMATION
	Signs and Symptoms of Overexposure: Drowsiness, confusion, excitability, nervousness, drop in blood pressure, fatigue, bluish discoloration of fingernails, lips, or skin, difficulties in breathing.
Precautionary Statements:	Prevention P261 – Do not breathe mist/vapours/spray P271 – Use in a well-ventilated area
	Response P304+P430 – If inhaled – remove victim to fresh air and keep at rest in
	a position comfortable for breathing P312 – Call a POISON CENTER or doctor/physician if you feel unwell Storage
	P405 – Store locked up <b>Disposal</b>
	P501 – Dispose of contents/container in accordance with local/provincial/federal regulations

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Identity	Concentration (Percent weight/weight)	CAS Number
Articaine Hydrochloride	4	23964-57-0
Epinephrine Bitartrate	0.0005 - 0.001	51-42-3

Inhalation:	Remove patient from exposure.
Eye Contact:	Flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Get medical attention, if irritation persists.
Skin Contact:	Remove contaminated clothing. Wash skin with soap and water
Ingestion:	Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison control or physician.
Personal Protective Equipment for First Aid Responders:	Wear impermeable gloves to avoid skin contact (e.g. nitrile, natural rubber).

SECTION 5:	FIRE FIGHTING MEASURES

Suitable extinguishing media:	Water spray, dry chemical, carbon dioxide, or foam as appropriate for surrounding fire and materials
Hazardous Combustion Products:	Not available

#### PRODUCT ID: ARTICAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

Special Protective Actions for	As with all fires, evacuate personnel to a safe area. Firefighters should
Firefighters:	use self-contained breathing equipment and protective clothing.

Personal precautions:	Caution should be used to prevent against ingestion and contact with eyes. Wear safety glasses with side shields.
Environmental precautions:	Prevent spills from entering sewers and watercourses. Cover drains.
Methods and materials for containment and cleaning up:	Clean up spills with normal procedures used for non-hazardous liquids. This can include: absorb spill with inert material, then place in a chemical waste container. Clean surface thoroughly with water to remove residual contamination.

#### **SECTION 7: HANDLING AND STORAGE**

Handling Procedures and Equipment:	Caution should be used to prevent against ingestion and contact with eyes.
	Handle with care to avoid breakage.
Storage Requirements:	Store in a cool, dry place. Avoid extremes in temperature.
Packaging:	USP Type 1 glass with rubber stopper and cap
Sensitivity to Mechanical Impact:	No
Sensitivity to Static Discharge:	No

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

Exposure Limits:		Оссі	upational Expe	osure Limits (	OEL)
	Chemical Agent	AC	GIH <sup>a</sup>	Ont	ario
	7. <b>3</b> 0	TWAb	STEL°	TWAb	STEL <sup>c</sup>
	Articaine Hydrochloride	Not available	Not available	Not available	Not available
	Epinephrine Bitartrate	Not available	Not available	Not available	Not available
a – American Conference of Governmental Industrial Hygienists					

- a American Conference of Governmental Industrial Hygienists
   b Time Weighted Average
   c Short-term Exposure Limit

c - Short-term Exposure Limit	
Personal Protective Equipment (PPE):	
Gloves (specify):	Not normally required
Respiratory (specify):	Not normally required
Eye (specify):	Not normally required
Footwear (specify):	Not normally required

#### PRODUCT ID: ARTICAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

Other Equipment (specify):	RESUSCITATIVE EQUIPMENT AND DRUGS SHOULD BE AVAILABLE DURING DENTAL PROCEDURES
Engineering Controls (e.g. ventilation, enclosed process, specify):	Not normally required

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Odour and Appearance:	Clear and odourless
Odour Threshold:	Not applicable
Specific Gravity (water=1):	1
Solubility in Water	Soluble
Co-efficient of Water/Oil Distribution:	Not available
Vapour Pressure:	17 mm Hg @ 20°C
Boiling Point (°C):	100°C
Melting/Freezing Point (°C):	0°C
pH:	Not available
Vapour Density (Air=1):	0.6
Evaporation Rate (Butyl Acetate=1):	1
Flashpoint (°C) and Method:	Not flammable (water based)
Upper Flammable Limit (%):	Not available
Lower Flammable Limit (%):	Not available
Auto-ignition Temperature (°C):	Not available
Decomposition Temperature (°C):	Not available

# SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Stable
Chemical Stability:	Stable
Conditions to Avoid:	None
Incompatible Materials:	Incompatible with compounds which react violently with water
Hazardous Decomposition Products:	None

## PRODUCT ID: ARTICAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

SECTION 11:	TOXICOLOGICAL INFORMATION	
		2

Route of Entry:	Skin Contact  Skin Absorption   Eye Contact  Inhalation  Ingestion     Ingestion
Acute Toxicity:	Not expected to be acutely toxic.
	Acute measures of toxicity (i.e. LD50 and LC50) are not available for this mixture.
	LD50 for Articaine Hydrochloride: 980 mg/kg oral rat
	LD50 for Epinephrine Bitartrate: 4 mg/kg oral mouse
Skin Corrosion/Irritation:	May be irritating to the skin.
Serious Eye Damage/Irritation:	May be irritating to the eyes.
Respiratory or Skin Sensitization:	Not available
Interactive Effects:	Not available
Mutagenicity:	Not available
Carcinogenicity:	This product has not been listed as a carcinogen or a potential carcinogen by the ACGIH, the International Agency for Research on Cancer (IARC), the US National Toxicology Program (NTP) or the US Occupational Safety and Health Administration (OSHA).
Reproductive Toxicity:	Animal studies have reported the increased incidence of stillbirths, skeletal abnormalities and delayed neurological development, but only at levels that were toxic to the mother.
Specific Target Organ Toxicity – Single Exposure:	Causes central nervous system effects such as drowsiness, confusion, excitability and nervousness. Acts as a depressant on the cardiovascular system.
Specific Target Organ Toxicity – Repeated Exposure:	May cause hypersensitivity. Associated with the development of methemoglobinemia.
Aspiration Hazard:	Not available. Not expected to be of concern.

SECTION 12:	ECOLOGICAL INFORMATION	

Ecotoxicity:	Not available
Persistence / Degradability:	Not available
Bioaccumulation / Accumulation:	Not available
Mobility in Environmental Media:	Not available
Other Adverse Effects:	Not available

SECTION 13:	DISPOSAL CONSIDERATIONS

Observe all Federal/Provincial/State and Local disposal regulations.

Disposal:

#### PRODUCT ID: ARTICAINE HYDROCHLORIDE AND EPINEPHRINE INJECTION

SECTION 14:	TRANSPORTATION INFORMATION
LINI Niversia e u	Niek euro Velicia
UN Number:	Not available
UN Proper Shipping Name:	Not available
Transport Hazard Classes:	Not available
Packing Group:	Not available
Environmental Hazards:	Not available
Special Precautions for User:	Avoid temperature extremes. Prevent from freezing.

SECTION 15:	REGULATORY INFORMATION
OSHA Regulatory Status:	Epinephrine bitartrate (epinephrine salt) is <u>not</u> listed as a hazardous product in the RCRA (EPA) and CERCLA (EPA) regulations.
Regulatory Status:	This product is exempt from current WHMIS legislation as a drug product

SECTION 16: OTHER INFORMATION
-------------------------------

Name of person or group that prepared SDS:	Septodont in conjunction with a third party consultant
Phone #:	519-623-4800
SDS Version#:	# 5 (replaces V.4 of July 19, 2013)

Information and statements contained in this document have been obtained from manufacturers, suppliers and recognized reference sources as provided to or obtained by Septodont.

Septodont believes the information to be reliable but expressly disclaims any liability for providing such information and toxicology to our customers.